UPRIGHT - UL / ULC

STANDARD RESPONSE

CODE **0126064**

MBK19-SR-UPRIGHT-57C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126065**

MBK19-SR-UPRIGHT-68C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126066**

MBK19-SR-UPRIGHT-79C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126067**

MBK19-SR-UPRIGHT-93C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

QUICK RESPONSE

CODE **0126068**

MBK19-QR-UPRIGHT-57C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126069**

MBK19-QR-UPRIGHT-68C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126070**

MBK19-QR-UPRIGHT-79C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126071**

MBK19-QR-UPRIGHT-93C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

ALL SPRINKLERS ARE PROVIDED WITH A PLASTIC PROTECTIVE CASE. YOU HAVE TO REMOVE IT AFTER INSTALLATION.



RECESSED - UL / ULC

STANDARD RESPONSE

CODE **0126072**

MBK19-SR-CONCEALED-57C

Concealed Sprinkler - Pendant - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126073**

MBK19-SR-CONCEALED-68C

Concealed Sprinkler - Pendant - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126074**

MBK19-SR-CONCEALED-79C

Concealed Sprinkler - Pendant - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126075**

MBK19-SR-CONCEALED-93C

Concealed Sprinkler - Pendant - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

QUICK RESPONSE

CODE **0126076**

MBK19-QR-CONCEALED-57C

Concealed Sprinkler - Pendant - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126077**

MBK19-QR-CONCEALED-68C

Concealed Sprinkler - Pendant - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126078**

MBK19-QR-CONCEALED-79C

Concealed Sprinkler - Pendant - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°175°F

CODE **0126079**

MBK19-QR-CONCEALED-93C

Concealed Sprinkler - Pendant - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

PENDENT - UL / ULC

STANDARD RESPONSE

CODE **0126080**

MBK19-SR-PENDENT-57C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126081**

MBK19-SR-PENDENT-68C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126082**

MBK19-SR-PENDENT-79C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126083**

MBK19-SR-PENDENT-93C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

UL LISTED ULC LISTED

PENDENT SPRINKLERS ARE INSTALLED BELOW THE PIPES. UPRIGHT SPRINKLERS ARE INSTALLED ABOVE THE PIPES

QUICK RESPONSE

CODE **0126084**

MBK19-SR-PENDENT-57C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126085**

MBK19-SR-PENDENT-68C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126086**

MBK19-SR-PENDENT-79C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126087**

MBK19-SR-PENDENT-93C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

UL LISTED ULC LISTED

HORIZONTAL SIDEWALL - UL / ULC

STANDARD RESPONSE

CODE **0126088**

MBK19-SR-HORIZONTAL-57C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126090**

MBK19-SR-HORIZONTAL-68C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126092**

MBK19-SR-HORIZONTAL-79C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126094**

MBK19-SR-HORIZONTAL-93C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

UL LISTED ULC LISTED



QUICK RESPONSE

CODE **0126089**

MBK19-QR-HORIZONTAL-57C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 57°/135°F

CODE **0126091**

MBK19-QR-HORIZONTAL-68C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 68°/155°F

CODE **0126093**

MBK19-QR-HORIZONTAL-79C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 79°/175°F

CODE **0126095**

MBK19-QR-HORIZONTAL-93C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2" or R1/2" - 93°/200°F

UL LISTED ULC LISTED

UPRIGHT - UL / FM / ULC

NEW

STANDARD RESPONSE

CODE **0126105**

MBK21-SR-UPRIGHT-57C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/135°F

CODE **0126106**

MBK21-SR-UPRIGHT-68C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68° /155°F

CODE **0126107**

MBK21-SR-UPRIGHT-93C

Upright Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F

QUICK RESPONSE

CODE **0126108**

MBK21-QR-UPRIGHT-57C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/135°F

CODE **0126109**

MBK21-QR-UPRIGHT-68C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68°/155°F

CODE **0126110**

MBK21-QR-UPRIGHT-79C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 79°/175°F

CODE **0126111**

MBK21-QR-UPRIGHT-93C

Upright Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F

ALL SPRINKLERS ARE PROVIDED WITH A PLASTIC PROTECTIVE CASE.
YOU HAVE TO REMOVE IT AFTER INSTALLATION.

PENDENT - UL / FM / ULC

NEW

STANDARD RESPONSE

CODE **0126112**

MBK21-SR-PENDENT-57C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/ 135°F

CODE **0126113**

MBK21-SR-PENDENT-68C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68°/155°F

CODE **0126114**

MBK21-SR-PENDENT-93C

Pendent Sprinkler - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F

PENDENT SPRINKLERS ARE INSTALLED BELOW THE PIPES. UPRIGHT SPRINKLERS ARE INSTALLED ABOVE THE PIPES

QUICK RESPONSE

CODE **0126115**

MBK21-QR-PENDENT-57C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/135°F

CODE **0126116**

MBK21-QR-PENDENT-68C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68°/155°F

CODE **0126117**

MBK21-QR-PENDENT-79C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 79°/175°F

CODE **0126118**

MBK21-QR-PENDENT-93C

Pendent Sprinkler - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F

HORIZONTAL SIDEWALL - UL / FM / ULC

STANDARD RESPONSE

CODE **0126119**

MBK21-SR-HORIZONTAL-57C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/135°F

CODE **0126121**

MBK21-SR-HORIZONTAL-68C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68°/155°F

CODE **0126124**

MBK21-SR-HORIZONTAL-93C

Horizontal Sidewall - K 80 - Standard Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F

QUICK RESPONSE

CODE **0126120**

MBK21-QR-HORIZONTAL-57C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 57°/135°F

CODE **0126122**

MBK21-QR-HORIZONTAL-68C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 68°/155°F

CODE **0126123**

MBK21-QR-HORIZONTAL-79C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 79°/175°F

CODE **0126125**

MBK21-QR-HORIZONTAL-93C

Horizontal Sidewall - K 80 - Quick Response - Brass or Chrome - NPT 1/2'' or R1/2'' - 93°/200°F